### HOUSE BILL No. 2275

AN ACT concerning the uniform controlled substances act; relating to substances included in schedules I, II, III and IV; amending K.S.A. 2014 Supp. 65-4105, 65-4107, 65-4109 and 65-4111 and repealing the existing sections.

Be it enacted by the Legislature of the State of Kansas:

Section 1. K.S.A. 2014 Supp. 65-4105 is hereby amended to read as follows: 65-4105. (a) The controlled substances listed in this section are included in schedule I and the number set forth opposite each drug or substance is the DEA controlled substances code which has been assigned to it.

(b) Any of the following opiates, including their isomers, esters, ethers, salts, and salts of isomers, esters and ethers, unless specifically excepted, whenever the existence of these isomers, esters, ethers and salts is possible within the specific chemical designation:

(1)	$Acetyl-alpha-methyl fentanyl \ (N-[1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl[-nethyl-2-phenethyl]-N-1-(1-methyl-2-phenethyl)-4-piperidinyl[-nethyl-2-phenethyl-2-phenethyl]-N-1-(1-methyl-2-phenethyl-2-phenethyl)-4-piperidinyl[-nethyl-2-phenethyl-2-phenethyl-2-phenethyl-2-phenethyl-2-phenethyl-2-phenethyl-2-phenethyl-2-phenethyl-2-phenethyl-2-phenethyl-2-phenethyl-2-phenethyl-2-phenethyl-2-phenethyl-2-phenethyl-2-phenethyl-2-phenethyl-2-phenethyl-2-phenethyl-2-phenethyl-2-phenethyl-2-phenethyl-2-phenethyl-2-phenethyl-2-phenethyl-2-$	
	phenylacetamide	9815
	Acetylmethadol	9601
(3)	Allylprodine	9602
(4)	Alphacetylmethadol	9603
	(except levo-alphacetylmethadol also known as levo-alpha-acetylmethadol,	
	levomethadyl acetate or LAAM)	
(5)	Alphameprodine	9604
	Alphamethadol	9605
	Alpha-methylfentanyl (N-[1-(alpha-methyl-beta-phenyl)ethyl-4-piperidyl]	
( - /	propionanilide; 1-(1-methyl-2-phenylethyl)-4-(N-propanilido) piperidine)	9814
(8)	Alpha-methylthiofentanyl (N-[1-methyl-2-(2-thienyl)ethyl-4-piperidinyl]-N-	
(0)	phenylpropanamide)	9832
(9)	Benzethidine	9606
	Betacetylmethadol	9607
	Beta-hydroxyfentanyl (N-[1-(2-hydroxy-2-phenethyl)-4-piperidinyl]-N-	3001
(11)	phenylpropanamide	9830
(19)	Beta-hydroxy-3-methylfentanyl (other name: N-[1-(2-hydroxy-2-	9000
(14)		9831
(12)	phenethyl)-3-methyl-4-piperidinyl]-N-phenylpropanamide	
	Betameprodine	9608
	Betamethadol	9609
(15)	Betaprodine	9611
	Clonitazene	9612
	Dextromoramide	9613
	Diampromide	9615
	Diethylthiambutene	9616
	Difenoxin	9168
	Dimenoxadol	9617
	Dimepheptanol	9618
	Dimethylthiambutene	9619
	Dioxaphetyl butyrate	9621
(25)	Dipipanone	9622
	Ethylmethylthiambutene	9623
(27)	Etonitazene	9624
(28)	Etoxeridine	9625
(29)	Furethidine	9626
(30)	Hydroxypethidine	9627
(31)	Ketobemidone	9628
	Levomoramide	9629
(33)	Levophenacylmorphan	9631
(34)	3-Methylfentanyl (N-[3-methyl-1-(2-phenylethyl)-4-piperidyl]-N-	
	phenylpropanamide)	9813
(35)	3-Methylthiofentanyl (N-[(3-methyl-1-(2-thienyl)ethyl-4-piperidinyl]-N-	
	phenylpropanamide)	9833
(36)	Morpheridine	9632
	MPPP (1-methyl-4-phenyl-4-propionoxypiperidine)	9661
	Noracymethadol	9633
(39)	Norlevorphanol	9634
	Normethadone	9635
	Norpipanone	9636
	Para-fluorofentanyl (N-(4-fluorophenyl)-N-[1-(2-phenethyl)-4-	0000
(44)	piperidinyl]propanamide	9812
(43)	PEPAP (1-(-2-phenethyl)-4-phenyl-4-acetoxypiperidine)	9663
	Phenadoxone	9637
	Phenampromide	9638
	Phenomorphan	9647
	Phenoperidine	9641
	Piritramide	9642
	Proheptazine	9643
(50)	Properidine	9644

	Propiram	9649
	Racemoramide Thiofentanyl (N-phenyl-N-[1-(2-thienyl)ethyl-4-piperidinyl]-	9645
(00)	propanamide	9835
(54)	Tilidine	9750
(55)	Trimeperidine	9646
(c)	Any of the following opium derivatives, their salts, isomers	and
salts	of isomers, unless specifically excepted, whenever the existence	ce of
these	salts, isomers and salts of isomers is possible within the spe	ecific
chem	nical designation:	
	Acetorphine	9319
	Acetyldihydrocodeine	9051
	Benzylmorphine	9052
	Codeine methylbromide	9070
	Cyprenorphine	9054
(7)	Desomorphine	9055
	Dihydromorphine	9145
	Drotebanol	9335
	Heroin	9056
	Hydromorphinol	9301
(13)	Methyldesorphine	9302
	Methyldihydromorphine	9304
	Morphine methylbromide  Morphine methylsulfonate	9305 9306
	Morphine-N-Oxide	9307
	Myrophine	9308
	Nicocodeine	9309
	Nicomorphine	9312
	Normorphine Pholcodine Pholcodine	9313 9314
	Thebacon	9315
(d)	Any material, compound, mixture or preparation which con	tains
, ,	quantity of the following hallucinogenic substances, their salts,	
	and salts of isomers, unless specifically excepted, whenever the	
	ce of these salts, isomers and salts of isomers is possible within	
	fic chemical designation:	
(1)	4-bromo-2,5-dimethoxy-amphetamine	7391
	Some trade or other names: 4-bromo-2,5-dimethoxy-alpha-	
(2)	methylphenethylamine; 4-bromo-2,5-DMA.	<b>500</b>
(2)	2,5-dimethoxyamphetamine  Some trade or other names: 2,5-dimethoxy-alpha-methyl-phenethylamine;	7396
(3)		
	2,5-DMA.  4-methoxyamphetamine	741]
(4)	2,5-DMA. 4-methoxyamphetamine Some trade or other names: 4-methoxy-alpha-methylphene-thylamine;	7411
	2,5-DMA.  4-methoxyamphetamine	
(0)	2,5-DMA.  4-methoxyamphetamine	7401
	2,5-DMA.  4-methoxyamphetamine  Some trade or other names: 4-methoxy-alpha-methylphene-thylamine; paramethoxyamphetamine; PMA.  5-methoxy-3,4-methylenedioxy-amphetamine  4-methyl-2,5-dimethoxy-amphetamine	
	2,5-DMA.  4-methoxyamphetamine	7401
(7)	2,5-DMA.  4-methoxyamphetamine	7401 7395 7400
	2,5-DMA.  4-methoxyamphetamine  Some trade or other names: 4-methoxy-alpha-methylphene-thylamine; paramethoxyamphetamine; PMA.  5-methoxy-3,4-methylenedioxy-amphetamine  4-methyl-2,5-dimethoxy-amphetamine  Some trade or other names: 4-methyl-2,5-dimethoxy-alpha-methylphenethylamine; "DOM"; and "STP".  3,4-methylenedioxy amphetamine  3,4-methylenedioxymethamphetamine (MDMA)	740] 7395
	2,5-DMA.  4-methoxyamphetamine	7401 7395 7400
	2,5-DMA.  4-methoxyamphetamine  Some trade or other names: 4-methoxy-alpha-methylphene-thylamine; paramethoxyamphetamine; PMA.  5-methoxy-3,4-methylenedioxy-amphetamine  4-methyl-2,5-dimethoxy-amphetamine  Some trade or other names: 4-methyl-2,5-dimethoxy-alpha-methylphenethylamine; "DOM"; and "STP".  3,4-methylenedioxy amphetamine  3,4-methylenedioxymethamphetamine (MDMA)	7401 7395 7400
(8)	2,5-DMA.  4-methoxyamphetamine  Some trade or other names: 4-methoxy-alpha-methylphene-thylamine; paramethoxyamphetamine; PMA.  5-methoxy-3,4-methylenedioxy-amphetamine  4-methyl-2,5-dimethoxy-amphetamine  Some trade or other names: 4-methyl-2,5-dimethoxy-alpha-methylphenethylamine; "DOM"; and "STP".  3,4-methylenedioxy amphetamine  3,4-methylenedioxymethamphetamine (MDMA)  3,4-methylenedioxy-N-ethylamphetamine (also known as N-ethyl-alpha-methyl-3,4 (methylenedioxy) phenethylamine, N-ethyl MDA, MDE, and MDEA)  N-hydroxy-3,4-methylenedioxyamphetamine (also known as N-hydroxy-	7401 7395 7400 7405
(8)	2,5-DMA.  4-methoxyamphetamine	7401 7395 7400 7405 7404
(8) (9) (10)	2,5-DMA.  4-methoxyamphetamine  Some trade or other names: 4-methoxy-alpha-methylphene-thylamine; paramethoxyamphetamine; PMA.  5-methoxy-3,4-methylenedioxy-amphetamine  4-methyl-2,5-dimethoxy-amphetamine  Some trade or other names: 4-methyl-2,5-dimethoxy-alpha-methylphenethylamine; "DOM"; and "STP".  3,4-methylenedioxy amphetamine  3,4-methylenedioxymethamphetamine (MDMA)  3,4-methylenedioxy-N-ethylamphetamine (also known as N-ethyl-alpha-methyl-3,4 (methylenedioxy) phenethylamine, N-ethyl MDA, MDE, and MDEA)  N-hydroxy-3,4-methylenedioxyamphetamine (also known as N-hydroxy-alpha-methyl-3,4-(methylenedioxy) phenethylamine, and N-hydroxy MDA)  3,4,5-trimethoxy amphetamine	7401 7395 7400 7405 7404 7402 7390
(8) (9) (10)	2,5-DMA.  4-methoxyamphetamine Some trade or other names: 4-methoxy-alpha-methylphene-thylamine; paramethoxyamphetamine; PMA.  5-methoxy-3,4-methylenedioxy-amphetamine 4-methyl-2,5-dimethoxy-amphetamine Some trade or other names: 4-methyl-2,5-dimethoxy-alpha-methylphenethylamine; "DOM"; and "STP".  3,4-methylenedioxy amphetamine 3,4-methylenedioxymethamphetamine (MDMA) 3,4-methylenedioxy-N-ethylamphetamine (also known as N-ethyl-alpha-methyl-3,4 (methylenedioxy) phenethylamine, N-ethyl MDA, MDE, and MDEA) N-hydroxy-3,4-methylenedioxyamphetamine (also known as N-hydroxy-alpha-methyl-3,4-(methylenedioxy) phenethylamine, and N-hydroxy MDA) 3,4,5-trimethoxy amphetamine Bufotenine	7401 7395 7400 7405 7404
(8) (9) (10)	2,5-DMA.  4-methoxyamphetamine  Some trade or other names: 4-methoxy-alpha-methylphene-thylamine; paramethoxyamphetamine; PMA.  5-methoxy-3,4-methylenedioxy-amphetamine  4-methyl-2,5-dimethoxy-amphetamine  Some trade or other names: 4-methyl-2,5-dimethoxy-alpha-methylphenethylamine; "DOM"; and "STP".  3,4-methylenedioxy amphetamine  3,4-methylenedioxymethamphetamine (MDMA)  3,4-methylenedioxy-N-ethylamphetamine (also known as N-ethyl-alpha-methyl-3,4 (methylenedioxy) phenethylamine, N-ethyl MDA, MDE, and MDEA)  N-hydroxy-3,4-methylenedioxyamphetamine (also known as N-hydroxy-alpha-methyl-3,4-(methylenedioxy) phenethylamine, and N-hydroxy MDA)  3,4,5-trimethoxy amphetamine  Bufotenine  Some trade or other names: 3-(Beta-Dimethylaminoethyl)-5-hydroxyindole;	7401 7395 7400 7405 7404 7402 7390
(8) (9) (10) (11)	2,5-DMA.  4-methoxyamphetamine  Some trade or other names: 4-methoxy-alpha-methylphene-thylamine; paramethoxyamphetamine; PMA.  5-methoxy-3,4-methylenedioxy-amphetamine  4-methyl-2,5-dimethoxy-amphetamine  Some trade or other names: 4-methyl-2,5-dimethoxy-alpha-methylphenethylamine; "DOM"; and "STP".  3,4-methylenedioxy amphetamine  3,4-methylenedioxymethamphetamine (MDMA)  3,4-methylenedioxy-N-ethylamphetamine (also known as N-ethyl-alpha-methyl-3,4 (methylenedioxy) phenethylamine, N-ethyl MDA, MDE, and MDEA)  N-hydroxy-3,4-methylenedioxyamphetamine (also known as N-hydroxy-alpha-methyl-3,4-(methylenedioxy) phenethylamine, and N-hydroxy-alpha-methyl-3,4-(methylenedioxy) phenethylamine, and N-hydroxy MDA)  3,4,5-trimethoxy amphetamine  Bufotenine  Some trade or other names: 3-(Beta-Dimethylaminoethyl)-5-hydroxyindole; 3-(2-dimethylaminoethyl)-5-indolol; N,N-dimethylserotonin; 5-hydroxy-N,N-dimethyltryptamine; mappine.	7401 7395 7400 7405 7404 7402 7390
(8) (9) (10) (11)	2,5-DMA.  4-methoxyamphetamine  Some trade or other names: 4-methoxy-alpha-methylphene-thylamine; paramethoxyamphetamine; PMA.  5-methoxy-3,4-methylenedioxy-amphetamine  4-methyl-2,5-dimethoxy-amphetamine  Some trade or other names: 4-methyl-2,5-dimethoxy-alpha-methylphenethylamine; "DOM"; and "STP".  3,4-methylenedioxy amphetamine  3,4-methylenedioxymethamphetamine (MDMA)  3,4-methylenedioxy-N-ethylamphetamine (also known as N-ethyl-alpha-methyl-3,4 (methylenedioxy) phenethylamine, N-ethyl MDA, MDE, and MDEA)  N-hydroxy-3,4-methylenedioxyamphetamine (also known as N-hydroxy-alpha-methyl-3,4-(methylenedioxy) phenethylamine, and N-hydroxy-alpha-methyl-3,4-(methylenedioxy) phenethylamine, and N-hydroxy MDA)  3,4,5-trimethoxy amphetamine  Bufotenine  Some trade or other names: 3-(Beta-Dimethylaminoethyl)-5-hydroxyindole; 3-(2-dimethylaminoethyl)-5-indolol; N,N-dimethylserotonin; 5-hydroxy-N,N-dimethyltryptamine; mappine.	7401 7395 7400 7405 7404 7402 7390
(8) (9) (10) (11) (12)	2,5-DMA.  4-methoxyamphetamine Some trade or other names: 4-methoxy-alpha-methylphene-thylamine; paramethoxyamphetamine; PMA.  5-methoxy-3,4-methylenedioxy-amphetamine 4-methyl-2,5-dimethoxy-amphetamine Some trade or other names: 4-methyl-2,5-dimethoxy-alpha-methylphenethylamine; "DOM"; and "STP".  3,4-methylenedioxy amphetamine 3,4-methylenedioxy amphetamine (MDMA) 3,4-methylenedioxy-N-ethylamphetamine (also known as N-ethyl-alpha-methyl-3,4 (methylenedioxy) phenethylamine, N-ethyl MDA, MDE, and MDEA) N-hydroxy-3,4-methylenedioxyamphetamine (also known as N-hydroxy-alpha-methyl-3,4-(methylenedioxy) phenethylamine, and N-hydroxy MDA) 3,4,5-trimethoxy amphetamine Bufotenine Some trade or other names: 3-(Beta-Dimethylaminoethyl)-5-hydroxyindole; 3-(2-dimethylaminoethyl)-5-indolol; N,N-dimethylserotonin; 5-hydroxy-N,N-dimethyltyptamine; mappine. Diethyltryptamine Some trade or other names: N,N-Diethyltryptamine; DET.	7401 7395 7400 7405 7404 7402 7433 7434
(8) (9) (10) (11) (12)	2,5-DMA.  4-methoxyamphetamine Some trade or other names: 4-methoxy-alpha-methylphene-thylamine; paramethoxyamphetamine; PMA.  5-methoxy-3,4-methylenedioxy-amphetamine 4-methyl-2,5-dimethoxy-amphetamine Some trade or other names: 4-methyl-2,5-dimethoxy-alpha-methylphenethylamine; "DOM"; and "STP".  3,4-methylenedioxy amphetamine 3,4-methylenedioxy amphetamine (MDMA) 3,4-methylenedioxy-N-ethylamphetamine (also known as N-ethyl-alpha-methyl-3,4 (methylenedioxy) phenethylamine, N-ethyl MDA, MDE, and MDEA) N-hydroxy-3,4-methylenedioxyamphetamine (also known as N-hydroxy-alpha-methyl-3,4-(methylenedioxy) phenethylamine, and N-hydroxy MDA) 3,4,5-trimethoxy amphetamine Bufotenine Some trade or other names: 3-(Beta-Dimethylaminoethyl)-5-hydroxyindole; 3-(2-dimethylaminoethyl)-5-indolol; N,N-dimethylserotonin; 5-hydroxy-N,N-dimethyltryptamine; mappine. Diethyltryptamine Some trade or other names: N,N-Diethyltryptamine; DET. Dimethyltryptamine	7401 7395 7400 7405 7404 7402 7390 7433
(8) (9) (10) (11) (12) (13)	2,5-DMA.  4-methoxyamphetamine Some trade or other names: 4-methoxy-alpha-methylphene-thylamine; paramethoxyamphetamine; PMA.  5-methoxy-3,4-methylenedioxy-amphetamine 4-methyl-2,5-dimethoxy-amphetamine Some trade or other names: 4-methyl-2,5-dimethoxy-alpha-methylphenethylamine; "DOM"; and "STP".  3,4-methylenedioxy amphetamine 3,4-methylenedioxy amphetamine (MDMA) 3,4-methylenedioxy-N-ethylamphetamine (also known as N-ethyl-alpha-methyl-3,4 (methylenedioxy) phenethylamine, N-ethyl MDA, MDE, and MDEA) N-hydroxy-3,4-methylenedioxyamphetamine (also known as N-hydroxy-alpha-methyl-3,4-(methylenedioxy) phenethylamine, and N-hydroxy MDA) 3,4,5-trimethoxy amphetamine Bufotenine Some trade or other names: 3-(Beta-Dimethylaminoethyl)-5-hydroxyindole; 3-(2-dimethylaminoethyl)-5-indolol; N,N-dimethylserotonin; 5-hydroxy-N,N-dimethyltryptamine; mappine. Diethyltryptamine Some trade or other names: N,N-Diethyltryptamine; DET. Dimethyltryptamine Some trade or other names: DMT. Ibogaine	7401 7395 7400 7405 7404 7402 7433 7434
(8) (9) (10) (11) (12) (13)	2,5-DMA.  4-methoxyamphetamine Some trade or other names: 4-methoxy-alpha-methylphene-thylamine; paramethoxyamphetamine; PMA.  5-methoxy-3,4-methylenedioxy-amphetamine 4-methyl-2,5-dimethoxy-amphetamine Some trade or other names: 4-methyl-2,5-dimethoxy-alpha-methylphenethylamine; "DOM"; and "STP".  3,4-methylenedioxy amphetamine 3,4-methylenedioxy amphetamine (MDMA) 3,4-methylenedioxy-N-ethylamphetamine (also known as N-ethyl-alpha-methyl-3,4 (methylenedioxy) phenethylamine, N-ethyl MDA, MDE, and MDEA) N-hydroxy-3,4-methylenedioxyamphetamine (also known as N-hydroxy-alpha-methyl-3,4-(methylenedioxy) phenethylamine, and N-hydroxy MDA) 3,4,5-trimethoxy amphetamine Bufotenine Some trade or other names: 3-(Beta-Dimethylaminoethyl)-5-hydroxyindole; 3-(2-dimethylaminoethyl)-5-indolol; N,N-dimethylserotonin; 5-hydroxy-N,N-dimethyltryptamine; mappine Diethyltryptamine Some trade or other names: N,N-Diethyltryptamine; DET. Dimethyltryptamine Some trade or other names: DMT. Ibogaine Some trade or other names: 7-Ethyl-6,6 Beta,7,8,9,10,12,13-octahydro-2-	7401 7395 7400 7405 7404 7402 7433 7434 7435
(8) (9) (10) (11) (12) (13)	2,5-DMA.  4-methoxyamphetamine Some trade or other names: 4-methoxy-alpha-methylphene-thylamine; paramethoxyamphetamine; PMA.  5-methoxy-3,4-methylenedioxy-amphetamine 4-methyl-2,5-dimethoxy-amphetamine Some trade or other names: 4-methyl-2,5-dimethoxy-alpha-methylphenethylamine; "DOM"; and "STP".  3,4-methylenedioxy amphetamine 3,4-methylenedioxy amphetamine (MDMA) 3,4-methylenedioxy-N-ethylamphetamine (also known as N-ethyl-alpha-methyl-3,4 (methylenedioxy) phenethylamine, N-ethyl MDA, MDE, and MDEA) N-hydroxy-3,4-methylenedioxyamphetamine (also known as N-hydroxy-alpha-methyl-3,4-(methylenedioxy) phenethylamine, and N-hydroxy MDA) 3,4,5-trimethoxy amphetamine Bufotenine Some trade or other names: 3-(Beta-Dimethylaminoethyl)-5-hydroxyindole; 3-(2-dimethylaminoethyl)-5-indolol; N,N-dimethylserotonin; 5-hydroxy-N,N-dimethyltryptamine; mappine Diethyltryptamine Some trade or other names: N,N-Diethyltryptamine; DET. Dimethyltryptamine Some trade or other names: 7-Ethyl-6,6 Beta,7,8,9,10,12,13-octahydro-2-methoxy-6,9-methano -5H-pyrido[1',2':1,2] azepino [5,4-b]indole;	7401 7395 7400 7405 7404 7402 7433 7434 7435
(8) (9) (10) (11) (12) (13) (14)	2,5-DMA.  4-methoxyamphetamine Some trade or other names: 4-methoxy-alpha-methylphene-thylamine; paramethoxyamphetamine; PMA.  5-methoxy-3,4-methylenedioxy-amphetamine 4-methyl-2,5-dimethoxy-amphetamine Some trade or other names: 4-methyl-2,5-dimethoxy-alpha-methylphenethylamine; "DOM"; and "STP".  3,4-methylenedioxy amphetamine 3,4-methylenedioxy amphetamine (MDMA) 3,4-methylenedioxy-N-ethylamphetamine (also known as N-ethyl-alpha-methyl-3,4 (methylenedioxy) phenethylamine, N-ethyl MDA, MDE, and MDEA) N-hydroxy-3,4-methylenedioxyamphetamine (also known as N-hydroxy-alpha-methyl-3,4-(methylenedioxy) phenethylamine, and N-hydroxy MDA) 3,4,5-trimethoxy amphetamine Bufotenine Some trade or other names: 3-(Beta-Dimethylaminoethyl)-5-hydroxyindole; 3-(2-dimethylaminoethyl)-5-indolol; N,N-dimethylserotonin; 5-hydroxy-N,N-dimethyltryptamine; mappine Diethyltryptamine Some trade or other names: N,N-Diethyltryptamine; DET. Dimethyltryptamine Some trade or other names: DMT. Ibogaine Some trade or other names: 7-Ethyl-6,6 Beta,7,8,9,10,12,13-octahydro-2-	7401 7395 7400 7405 7404 7402 7433 7434 7435

	Marihuana Marijuana	7360 7381
	Mescaline	7374
(10)	Parahexyl	1314
(10)	Peyote	7415
(19)	Meaning all parts of the plant presently classified botanically as Lophophora williamsii Lemaire, whether growing or not, the seeds thereof, any extract	7413
	from any part of such plant, and every compound, manufacture, salts, deriv-	
	ative, mixture or preparation of such plant, its seeds or extracts.	
(20)	N-ethyl-3-piperidyl benzilate	7482
	N-methyl-3-piperidyl benzilate	7484
	Psilocybin	7437
(23)	Psilocyn	7438
	Ethylamine analog of phencyclidine	7455
()	Some trade or other names: N-ethyl-1-phenyl-cyclo-hexylamine;	
	(1-phenylcyclohexyl)ethylamine; N-(1-phenylcyclohexyl)ethylamine; cyclohexamine; PCE.	
(25)	Pyrrolidine analog of phencyclidine	7458
(20)	Some trade or other names: 1-(1-phenylcyclohexyl)-pyrrolidine; PCPy; PHP.	1100
(26)	Thiophene analog of phencyclidine	7470
(20)	Some trade or other names: 1-[1-(2-thienyl)-cyclohexyl]-piperidine; 2-thienyl	1410
(97)	analog of phencyclidine; TPCP; TCP.  1-[1-(2-thienyl)-cyclohexyl] pyrrolidine	7473
(21)	Some other names: TCPy.	1410
(00)	2,5-dimethoxy-4-ethylamphetamine	7399
(20)	Some trade or other names: DOET.	1399
(20)	Salvia divinorum or salvinorum A; all parts of the plant presently classified	
(29)		
	botanically as salvia divinorum, whether growing or not, the seeds thereof,	
	any extract from any part of such plant, and every compound, manufacture,	
(20)	salts, derivative, mixture or preparation of such plant, its seeds or extracts.	
(30)	Datura stramonium, commonly known as gypsum weed or jimson weed; all	
	parts of the plant presently classified botanically as datura stramonium,	
	whether growing or not, the seeds thereof, any extract from any part of such	
	plant, and every compound, manufacture, salts, derivative, mixture or prep-	
(01)	aration of such plant, its seeds or extracts.	7400
(31)	N-benzylpiperazine	7493
(22)	Some trade or other names: BZP.	
(32)	1-(3-[trifluoromethylphenyl])piperazine	
(00)	Some trade or other names: TFMPP.	7000
	4-Bromo-2,5-dimethoxyphenethylamine	7392
(34)	2,5-dimethoxy-4-(n)-propylthiophenethylamine (2C-T-7), its optical isomers,	7040
(OF)	salts and salts of optical isomers	7348
	Alpha-methyltryptamine (other name: AMT)	7432
(36)	5-methoxy-N,N-diisopropyltryptamine (5-MeO-DIPT), its isomers, salts and	<b>=</b> 400
(a=)	salts of isomers	7439
	2-(2,5-Dimethoxy-4-ethylphenyl)ethanamine (2C-E)	7509
	2-(2,5-Dimethoxy-4-methylphenyl)ethanamine (2C-D)	7508
	2-(4-Chloro-2,5-dimethoxyphenyl)ethanamine (2C-C)	7519
	2-(4-Iodo-2,5-dimethoxyphenyl)ethanamine (2C-I)	7518
	2-[4-(Ethylthio)-2,5-dimethoxyphenyl]ethanamine (2C-T-2)	7385
	2-[4-(Isopropylthio)-2,5-dimethoxyphenyl]ethanamine (2C-T-4)	7532
	2-(2,5-Dimethoxyphenyl)ethanamine (2C-H)	7517
	2-(2,5-Dimethoxy-4-nitrophenyl)ethanamine (2C-N)	7521
	2-(2,5-Dimethoxy-4-(n)-propylphenyl)ethanamine (2C-P)	7524
(40)	5-methoxy-N,N-dimethyltryptamine (5-MeO-DMT)	7431
(47)	Some trade or other names: 5-methoxy-3-[2-(dimethylamino)ethyl]indole.	7520
(41)	2-(4-iodo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine	7538
(40)	Some trade or other names: 25I-NBOMe; 2C-I-NBOMe; 25I; Cimbi-5.	7527
(40)	2-(4-chloro-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine	7537
(40)	Some trade or other names: 25C-NBOMe; 2C-C-NBOMe; 25C; Cimbi-82.	7526
(49)	2-(4-bromo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine	7536
(EO)	Some trade or other names: 25B-NBOMe; 2C-B-NBOMe; 25B; Cimbi-36.	
(00)	2-(2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine	
(51)	Some trade or other names: 25H-NBOMe.	
(31)	2-(2,5-dimethoxy-4-methylphenyl)-N-(2-methoxybenzyl)ethanamine	
	Some trade or other names: 25D-NBOMe; 2C-D-NBOMe.	

(e) Any material, compound, mixture or preparation which contains any quantity of the following substances having a depressant effect on the central nervous system, including its salts, isomers, and salts of isomers whenever the existence of such salts, isomers, and salts of isomers is possible within the specific chemical designation:

(1) Medoqualone			
(f) Unless specifically excepted or unless listed in another schedule, any material, compound, mixture or preparation which contains any quantity of the following substances having a stimulant effect on the central nervous system, including its salts, isomers and salts of isomers:  (1) Fenethylline	(2)	Methaqualone	
(2) N-ethylamphetamine (1/cis-4,5-dihydro-4-methyl-5-phenyl-2-oxazolamine)	(f) any matity of nervoi	Unless specifically excepted or unless listed in another schedaterial, compound, mixture or preparation which contains any question that the following substances having a stimulant effect on the ceus system, including its salts, isomers and salts of isomers:	uan- ntral
or 4,5-dihydro-5-phenyl-2-oxazolamine, its salts, optical isomers and salts of optical isomers)	(1) 1 (2) 1 (3) (4) 1 (4) 1 (5) (6) 1 (6) 1 (7) (7) (7) (7) (7) (7) (7) (7) (7) (7)	Fenethylline N-ethylamphetamine (+)cis-4-methylaminorex ((+)cis-4,5-dihydro-4-methyl-5-phenyl-2-oxazolamine) N,N-dimethylamphetamine (also known as N,N-alpha-trimethyl-benzeneethanamine; N,N-alpha-trimethylphenethylamine) Cathinone (some other names: 2-amino-1-phenol-1-propanone, alpha-amino propiophenone, 2-amino propiophenone and norphedrone) Substituted cathinones Any compound, except bupropion or compounds listed under a different schedule, structurally derived from 2-aminopropan-1-one by substitution at the 1-position with either phenyl, naphthyl, or thiophene ring systems, whether or not the compound is further modified in any of the following ways:  (A) By substitution in the ring system to any extent with alkyl, alkylenedioxy, alkoxy, haloalkyl, hydroxyl, or halide substituents, whether or not further substituted in the ring system by one or more other univalent substituents;  (B) by substitution at the 3-position with an acyclic alkyl substituent;  (C) by substitution at the 2-amino nitrogen atom with alkyl, dialkyl, benzyl, or methoxybenzyl groups; or  (D) by inclusion of the 2-amino nitrogen atom in a cyclic structure.  Any material, compound, mixture or preparation which contantity of the following substances:  N-[1-benzyl-4-piperidyl]-N-phenylpropanamide (benzylfentanyl), its optical isomers, salts and salts of isomers  N-[1-(2-thienyl)methyl-4-piperidyl]-N-phenylpropanamide (thenylfentanyl), its optical isomers, salts and salts of isomers	1475 1590 1480 1235 ttains
(h) Any of the following cannabinoids, their salts, isomers and salts of isomers, unless specifically excepted, whenever the existence of these salts, isomers and salts of isomers is possible within the specific chemical designation:  (1) Tetrahydrocannabinols	(4)	or 4,5-dihydro-5-phenyl-2-oxazolamine, its salts, optical isomers and salts of optical isomers)	
Meaning tetrahydrocannabinols naturally contained in a plant of the genus Cannabis (cannabis plant), as well as synthetic equivalents of the substances contained in the plant, or in the resinous extractives of Cannabis, sp. and/or synthetic substances, derivatives, and their isomers with similar chemical structure and pharmacological activity such as the following: Delta 1 cis or trans tetrahydrocannabinol, and their optical isomers Delta 6 cis or trans tetrahydrocannabinol, and their optical isomers Delta 3,4 cis or trans tetrahydrocannabinol, and its optical isomers (Since nomenclature of these substances is not internationally standardized, compounds of these structures, regardless of numerical designation of atomic positions covered.)  (2) Naphthoylindoles  Any compound containing a 3-(1-naphthoyl)indole structure with substitution at the nitrogen atom of the indole ring by an alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl or 2-(4-morpholinyl)ethyl group, whether or not further substituted in the indole ring to any extent.  (3) Naphthylmethylindoles  Any compound containing a 1H-indol-3-yl-(1-naphthyl)methane structure with substitution at the nitrogen atom of the indole ring by an alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl or 2-(4-morpholinyl)ethyl group whether or not further substituted in the indole ring to any extent and whether or not substituted in the naphthyl ring	(h) of isor salts, i	Any of the following cannabinoids, their salts, isomers and mers, unless specifically excepted, whenever the existence of tisomers and salts of isomers is possible within the specific cher	hese
	(1) (1) (1) (2) (3) (3) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	Tetrahydrocannabinols	7370

#### (4) Naphthovlpyrroles

Any compound containing a 3-(1-naphthoyl)pyrrole structure with substitution at the nitrogen atom of the pyrrole ring by an alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl or 2-(4-morpholinyl)ethyl group whether or not further substituted in the pyrrole ring to any extent, whether or not substituted in the naphthyl ring to any extent.

### (5) Naphthylmethylindenes

Any compound containing a naphthylideneindene structure with substitution at the 3-position of the indene ring by an alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl or 2-(4-morpholinyl)ethyl group whether or not further substituted in the indene ring to any extent, whether or not substituted in the naphthyl ring to any extent.

#### (6) Phenylacetylindoles

Any compound containing a 3-phenylacetylindole structure with substitution at the nitrogen atom of the indole ring by an alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl or 2-(4-morpholinyl)ethyl group whether or not further substituted in the indole ring to any extent, whether or not substituted in the phenyl ring to any extent.

#### (7) Cyclohexylphenols

Any compound containing a 2-(3-hydroxycyclohexyl)phenol structure with substitution at the 5-position of the phenolic ring by an alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl or 2-(4-morpholinyl)ethyl group whether or not substituted in the cyclohexyl ring to any extent.

#### (8) Benzoylindoles

Any compound containing a 3-(benzoyl)indole structure with substitution at the nitrogen atom of the indole ring by an alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl or 2-(4-morpholinyl)ethyl group whether or not further substituted in the indole ring to any extent and whether or not substituted in the phenyl ring to any extent.

(9) 2,3-Dihydro-5-methyl-3-(4-morpholinylmethyl)pyrrolo[1,2,3-de]-1,4benzoxazin-6-yl]-1-napthalenylmethanone. Some trade or other names: WIN 55.212-2.

(10) 9-(hydroxymethyl)-6, 6-dimethyl-3-(2-methyloctan-2-yl)-6a,7,10,10a-tetrahydrobenzo[c]chromen-1-ol Some trade or other names: HU-210, HU-211.

## (11) Tetramethylcyclopropanoylindoles

Any compound containing a 3-tetramethylcyclopropanoylindole structure with substitution at the nitrogen atom of the indole ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, benzyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or tetrahydropyranylmethyl group, whether or not further substituted in the indole ring to any extent and whether or not substituted in the benzyl or tetramethylcyclopropyl ring rings to any extent.

# (12) Indole-3-carboxylate esters

Any compound containing a 1H-indole-3-carboxylate ester structure with the ester oxygen bearing a naphthyl, quinolinyl, isquinolinyl isoquinolinyl or adamantyl group and substitution at the 1 position of the indole ring by an alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, benzyl, N-methyl-2-piperidinylmethyl or 2-(4-morpholinyl)ethyl group, whether or not further substituted on the indole ring to any extent and whether or not further substituted on the naphthyl, quinolinyl, isquinolinyl isoquinolinyl, adamantyl or benzyl groups to any extent.

## (13) Indazole-3-carboxamides

Any compound containing a 1H-indazole-3-carboxamide structure with substitution at the nitrogen of the carboxamide by a naphthyl, quinolinyl, isquinolinyl isoquinolinyl, adamantyl or 1-amino-1-oxoalkan-2-yl group and substitution at the 1 position of the indazole ring by an alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, benzyl, N-methyl-2-piperidinylmethyl, or 2-(4-morpholinyl)ethyl group, whether or not further substituted on the indazole ring to any extent and whether or not further substituted on the naphthyl, quinolinyl, isquinolinyl isoquinolinyl, adamantyl, 1-amino-1-oxoalkan-2-yl, or benzyl groups to any extent.

# (14) (1H-indazol-3-yl)methanones

Any compound containing a (1H-indazol-3-yl)methanone structure with the carbonyl carbon bearing a naphthyl group and substitution at the 1 position of the indazole ring by an alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, benzyl, N-methyl-2-piperidinylmethyl, or 2-(4-morpholinyl)ethyl group, whether or not further substituted on the indazole ring to any extent and whether or not substituted on the naphthyl or benzyl groups to any extent.

- Sec. 2. K.S.A. 2014 Supp. 65-4107 is hereby amended to read as follows: 65-4107. (a) The controlled substances listed in this section are included in schedule II and the number set forth opposite each drug or substance is the DEA controlled substances code which has been assigned to it.
- (b) Any of the following substances, except those narcotic drugs listed in other schedules, whether produced directly or indirectly by extraction from substances of vegetable origin or independently by means of chemical synthesis or by combination of extraction and chemical synthesis:
- (1) Opium and opiate and any salt, compound, derivative or preparation of opium or opiate, excluding apomorphine, dextrorphan, nalbuphine, nalmefene, naloxone and naltrexone and their respective salts, but including the following:

(A) Raw opium	9600
(B) Opium extracts	9610
(B) Opium extracts (C) Opium fluid	9620
(D) Powdered opium	9639
(E) Granulated opium	9640
(F) Tincture of opium	9630
(G) Codeine	9050
(H) Ethylmorphine	9190
(I) Etorphine hydrochloride	9059
(J) Hydrocodone	9193
(K) Hydromorphone	9150
(L) Metopon	9260
(M) Morphine	9300
(N) Oxycodone	9143
(O) Oxymorphone	9652
(P) Thebaine	9333
(Q) Dihydroetorphine	9334
(R) Oripavine	9330

- (2) Any salt, compound, isomer, derivative or preparation thereof which is chemically equivalent or identical with any of the substances referred to in paragraph (1), but not including the isoquinoline alkaloids of opium.
  - (3) Opium poppy and poppy straw.
- (4) Coca leaves (9040) and any salt, compound, derivative or preparation of coca leaves, but not including decocainized coca leaves or extractions which do not contain cocaine (9041) or ecgonine (9180).
  - (5) Cocaine, its salts, isomers and salts of isomers (9041).
  - (6) Ecgonine, its salts, isomers and salts of isomers (9180).
- (7) Concentrate of poppy straw (the crude extract of poppy straw in either liquid, solid or powder form which contains the phenanthrene alkaloids of the opium poppy) (9670).
- (c) Any of the following opiates, including their isomers, esters, ethers, salts and salts of isomers, esters and ethers, whenever the existence of these isomers, esters, ethers and salts is possible within the specific chemical designation dextrorphan and levopropoxyphene excepted:

	· · · · · · · · · · · · · · · · · · ·	
(1)	Alfentanil	9737
(2)	Alphaprodine	9010
(3)	Anileridine	9020
(4)	Bezitramide	9800
(5)	Bulk dextropropoxyphene (nondosage forms)	9273
(6)	Carfentanil	9743
(7)	Dihydrocodeine	9120
(8)	Diphenoxylate	9170
(9)	Fentanyl	9801
(10)	Isomethadone	9226
(11)	Levomethorphan	9210
(12)	Levorphanol	9220
(13)	Metazocine	9240
(14)	Methadone	9250
(15)	Methadone-intermediate,4-cyano-2-dimethyl amino-4,4-diphenyl butane	9254
(16)	Moramide-intermediate, 2-methyl-3-morpholino-1, 1-diphenylpropane-	
	carboxylic acid	9802
(17)	Pethidine (meperidine)	9230
(18)	Pethidine-intermediate-A, 4-cyano-1-methyl-4-phenylpiperidine	9232
(19)	Pethidine-intermediate-B, ethyl-4-phenyl-piperidine-4-carboxylate	9233

(20) Pethidine-intermediate-C, 1-methyl-4-phenyl-piperidine-4-carboxylic acid	9234
(21) Phenazocine	9715 9730
(23) Racemethorphan	9732
(24) Racemorphan	9733
(25) Sufentanil	9740 9648
Some other names: levo-alpha-acetyl methadol, levomethadyl acetate or LAAM.	
(27) Remifentanil	$9739 \\ 9780$
(d) Any material, compound, mixture, or preparation which con	tains
any quantity of the following substances having a potential for abus sociated with a stimulant effect on the central nervous system:	
(1) Amphetamine, its salts, optical isomers and salts of its optical isomers	1100
(2) Phenmetrazine and its salts	1631 1105
(4) Methylphenidate	1724
(5) Lisdexamfetamine, its salts, isomers, and salts of its isomers	1205
(e) Unless specifically excepted or unless listed in another sched	
any material, compound, mixture or preparation which contains any ${\bf q}$ tity of the following substances having a depressant effect on the ce	ntral
nervous system, including its salts, isomers and salts of isomers when	
the existence of such salts, isomers and salts of isomers is possible w	ithin
the specific chemical designation: (1) Amobarbital	2125
(2) Glutethimide	2550
(3) Secobarbital	2315
(4) Pentobarbital	2270 7471
(f) Any material, compound, mixture, or preparation which con	
any quantity of the following substances:	cams
(1) Immediate precursor to amphetamine and methamphetamine:	
(A) Phenylacetone	
Some trade or other names: phenyl-2-propanone; P2P; benzyl methyl	8501
Some trade or other names: phenyl-2-propanone; P2P; benzyl methyl ketone; methyl benzyl ketone.	8501
Some trade or other names: phenyl-2-propanone; P2P; benzyl methyl ketone; methyl benzyl ketone.  (2) Immediate precursors to phencyclidine (PCP):  (A) 1-phenylcyclohexylamine	7460
Some trade or other names: phenyl-2-propanone; P2P; benzyl methyl ketone; methyl benzyl ketone.  (2) Immediate precursors to phencyclidine (PCP):  (A) 1-phenylcyclohexylamine  (B) 1-piperidinocyclohexanecarbonitrile (PCC)	7460 8603
Some trade or other names: phenyl-2-propanone; P2P; benzyl methyl ketone; methyl benzyl ketone.  (2) Immediate precursors to phencyclidine (PCP):  (A) 1-phenylcyclohexylamine	7460 8603 tains mers ence
Some trade or other names: phenyl-2-propanone; P2P; benzyl methyl ketone; methyl benzyl ketone.  (2) Immediate precursors to phencyclidine (PCP):  (A) 1-phenylcyclohexylamine	7460 8603 tains mers ence
Some trade or other names: phenyl-2-propanone; P2P; benzyl methyl ketone; methyl benzyl ketone.  (2) Immediate precursors to phencyclidine (PCP):  (A) 1-phenylcyclohexylamine	7460 8603 tains mers ence
Some trade or other names: phenyl-2-propanone; P2P; benzyl methyl ketone; methyl benzyl ketone.  (2) Immediate precursors to phencyclidine (PCP):  (A) 1-phenylcyclohexylamine	7460 8603 tains mers ence
Some trade or other names: phenyl-2-propanone; P2P; benzyl methyl ketone; methyl benzyl ketone.  (2) Immediate precursors to phencyclidine (PCP):  (A) 1-phenylcyclohexylamine	7460 8603 tains mers ence ecific 7379
Some trade or other names: phenyl-2-propanone; P2P; benzyl methyl ketone; methyl benzyl ketone.  (2) Immediate precursors to phencyclidine (PCP):  (A) 1-phenylcyclohexylamine  (B) 1-piperidinocyclohexanecarbonitrile (PCC)  (g) Any material, compound, mixture or preparation which con any quantity of the following hallucinogenic substance, its salts, ison and salts of isomers, unless specifically excepted, whenever the exist of these salts, isomers and salts of isomers is possible within the spechemical designation:  Nabilone  [Another name for nabilone: (±)-trans-3-(1,1-dimethylheptyl)-6,6a,7,8,10,10a-hexahydro-1-hydroxy-6,6-dimethyl-9H-dibenzo[b,d]pyran-9-one]	7460 8603 tains mers ence ecific 7379
Some trade or other names: phenyl-2-propanone; P2P; benzyl methyl ketone; methyl benzyl ketone.  (2) Immediate precursors to phencyclidine (PCP):  (A) 1-phenylcyclohexylamine	7460 8603 tains mers ence ecific 7379 ** any nhy-
Some trade or other names: phenyl-2-propanone; P2P; benzyl methyl ketone; methyl benzyl ketone.  (2) Immediate precursors to phencyclidine (PCP):  (A) 1-phenylcyclohexylamine (B) 1-piperidinocyclohexanecarbonitrile (PCC)  (g) Any material, compound, mixture or preparation which con any quantity of the following hallucinogenic substance, its salts, ison and salts of isomers, unless specifically excepted, whenever the exist of these salts, isomers and salts of isomers is possible within the spechemical designation:  Nabilone  [Another name for nabilone: (±)-trans-3-(1,1-dimethylheptyl)-6,6a,7,8,10,10a-hexahydro-1-hydroxy-6,6-dimethyl-9H-dibenzo[b,d]pyran-9-one]  (h) Any material, compound, mixture or preparation containing of the following narcotic drugs or any salts calculated as the free a drous base or alkaloid, in limited quantities as set forth below:  (1) Not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with a fourfold or greater quantity of an isoquinoline alkaloid of opium  (2) Not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts	7460 8603 tains mers ence ecific 7379 any nhy- 9805
Some trade or other names: phenyl-2-propanone; P2P; benzyl methyl ketone; methyl benzyl ketone.  (2) Immediate precursors to phencyclidine (PCP):  (A) 1-phenylcyclohexylamine	7460 8603 tains mers ence ecific 7379 any nhy- 9805
Some trade or other names: phenyl-2-propanone; P2P; benzyl methyl ketone; methyl benzyl ketone.  (2) Immediate precursors to phencyclidine (PCP): (A) 1-phenylcyclohexylamine (B) 1-piperidinocyclohexanecarbonitrile (PCC) (g) Any material, compound, mixture or preparation which com any quantity of the following hallucinogenic substance, its salts, ison and salts of isomers, unless specifically excepted, whenever the exist of these salts, isomers and salts of isomers is possible within the spechemical designation:  Nabilone [Another name for nabilone: (±)-trans-3-(1,1-dimethylheptyl)-6,6a,7,8,10,10a-hexahydro-1-hydroxy-6,6-dimethyl-9H-dibenzo[b,d]pyran-9-one] (h) Any material, compound, mixture or preparation containing of the following narcotic drugs or any salts calculated as the free a drous base or alkaloid, in limited quantities as set forth below:  (1) Not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with a fourfold or greater quantity of an isoquinoline alkaloid of opium  (2) Not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  Sec. 3. K.S.A. 2014 Supp. 65-4109 is hereby amended to reafollows: 65-4109. (a) The controlled substances listed in this section	7460 8603 tains mers ence ecific 7379 any nhy- 9805 9806 d as
Some trade or other names: phenyl-2-propanone; P2P; benzyl methyl ketone; methyl benzyl ketone.  (2) Immediate precursors to phencyclidine (PCP): (A) 1-phenylcyclohexylamine (B) 1-piperidinocyclohexanecarbonitrile (PCC) (g) Any material, compound, mixture or preparation which com any quantity of the following hallucinogenic substance, its salts, ison and salts of isomers, unless specifically excepted, whenever the exist of these salts, isomers and salts of isomers is possible within the spechemical designation:  Nabilone  [Another name for nabilone: (±)-trans-3-(1,1-dimethylheptyl)-6,6a,7,8,10,10a-hexahydro-1-hydroxy-6,6-dimethyl-9H-dibenzo[b,d]pyran-9-one]  (h) Any material, compound, mixture or preparation containing of the following narcotic drugs or any salts calculated as the free a drous base or alkaloid, in limited quantities as set forth below:  (1) Not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with a fourfold or greater quantity of an isoquinoline alkaloid of opium  (2) Not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  Sec. 3. K.S.A. 2014 Supp. 65-4109 is hereby amended to rea follows: 65-4109. (a) The controlled substances listed in this section included in schedule III and the number set forth opposite each drawn.	7460 8603 tains mers ence ecific 7379 any nhy- 9805 9806 d as
Some trade or other names: phenyl-2-propanone; P2P; benzyl methyl ketone; methyl benzyl ketone.  (2) Immediate precursors to phencyclidine (PCP): (A) 1-phenylcyclohexylamine (B) 1-piperidinocyclohexanecarbonitrile (PCC) (g) Any material, compound, mixture or preparation which com any quantity of the following hallucinogenic substance, its salts, ison and salts of isomers, unless specifically excepted, whenever the exist of these salts, isomers and salts of isomers is possible within the spechemical designation:  Nabilone [Another name for nabilone: (±)-trans-3-(1,1-dimethylheptyl)-6,6a,7,8,10,10a-hexahydro-1-hydroxy-6,6-dimethyl-9H-dibenzo[b,d]pyran-9-one] (h) Any material, compound, mixture or preparation containing of the following narcotic drugs or any salts calculated as the free a drous base or alkaloid, in limited quantities as set forth below:  (1) Not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with a fourfold or greater quantity of an isoquinoline alkaloid of opium  (2) Not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  Sec. 3. K.S.A. 2014 Supp. 65-4109 is hereby amended to reafollows: 65-4109. (a) The controlled substances listed in this section	7460 8603 tains mers ence ecific 7379 any nhy- 9805 9806 d as

ture, or preparation which contains any quantity of the following substances having a potential for abuse associated with a depressant effect

on the central nervous system:

(1)	Any compound, mixture or preparation containing:	
	(A) Amobarbital	2126
	(B) Secobarbital	2316
	(C) Pentobarbital	2271
	or any salt thereof and one or more other active medicinal ingredients	
	which are not listed in any schedule.	
(2)	Any suppository dosage form containing:	
. ,	(A) Amobarbital	2126
	(B) Secobarbital	2316
	(C) Pentobarbital	2271
	or any salt of any of these drugs and approved by the Food and Drug	
	Administration for marketing only as a suppository.	
(3)	Any substance which contains any quantity of a derivative of barbituric acid,	
(0)	or any salt of a derivative of barbituric acid, except those substances which	
	are specifically listed in other schedules	2100
(4)	Chlorhexadol	2510
(5)	Lysergic acid	7300
	Lysergic acid amide	7310
	Methyprylon	2575
	Sulfondiethylmethane	2600
	Sulfonethylmethane	2605
, ,	Sulfonmethane	2610
(11)	Tiletamine and zolazepam or any salt thereof	7295
	Some trade or other names for a tiletamine-zolazepam combination product:	
	Telazol	
	Some trade or other names for tiletamine: 2-(ethylamino)-2-(2-thienyl)-	
	cyclohexanone	
	Some trade or other names for zolazepam: 4-(2-fluorophenyl)-6,8-dihydro-	
	1,3,8-trimethylpyrazolo-[3,4-e][1,4]-diazepin-7(1H)-one, flupyrazapon	
(12)	Ketamine, its salts, isomers, and salts of isomers	7285
( )	Some other names for ketamine: (±)-2-(2-chlorophenyl)-2-(methylamino)-	
	cyclohexanone	
(13)	Gamma hydroxybutyric acid, any salt, hydroxybutyric compound, derivative	
(10)	or preparation of gamma hydroxybutyric acid contained in a drug product for	
	which an application has been approved under section 505 of the federal	
	food, drug and cosmetic act	
(14)	Embutramide	2020
		2020
	Perampanel, its salts, isomers, and salts of isomers	2261
	Perampanel, its salts, isomers, and salts of isomers	
	Perampanel, its salts, isomers, and salts of isomers	
(15)	Perampanel, its salts, isomers, and salts of isomers Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile	2261
(15) (c)	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine	2261 9400
(c) (d)	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Any material, compound, mixture or preparation containing	2261 9400 g any
(c) (d) of th	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Any material, compound, mixture or preparation containing e following narcotic drugs or any salts calculated as the free a	2261 9400 g any
(c) (d) of th	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Any material, compound, mixture or preparation containing	2261 9400 g any
(c) (d) of th	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Any material, compound, mixture or preparation containing e following narcotic drugs or any salts calculated as the free as base or alkaloid, in limited quantities as set forth below:	2261 9400 g any
(c) (d) of th	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Any material, compound, mixture or preparation containing e following narcotic drugs or any salts calculated as the free as base or alkaloid, in limited quantities as set forth below:  (1) Not more than 1.8 grams of codeine or any of its salts per 100 milliliters	2261 9400 g any
(c) (d) of th	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Any material, compound, mixture or preparation containing e following narcotic drugs or any salts calculated as the free as base or alkaloid, in limited quantities as set forth below:  (1) Not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with an equal or greater	2261 9400 g any anhy-
(c) (d) of th	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Nalorphine  Any material, compound, mixture or preparation containing e following narcotic drugs or any salts calculated as the free as base or alkaloid, in limited quantities as set forth below:  (1) Not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with an equal or greater quantity of an isoquinoline alkaloid of opium	2261 9400 g any
(c) (d) of th	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Any material, compound, mixture or preparation containing e following narcotic drugs or any salts calculated as the free as base or alkaloid, in limited quantities as set forth below:  (1) Not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with an equal or greater quantity of an isoquinoline alkaloid of opium  (2) not more than 1.8 grams of codeine or any of its salts per 100 milliliters	2261 9400 g any anhy-
(c) (d) of th	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Nalorphine  Any material, compound, mixture or preparation containing e following narcotic drugs or any salts calculated as the free as base or alkaloid, in limited quantities as set forth below:  (1) Not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with an equal or greater quantity of an isoquinoline alkaloid of opium  (2) not more than 90 milligrams per dosage unit with one or more active, or not more than 90 milligrams per dosage unit with one or more active,	2261 9400 g any nhy- 9803
(c) (d) of th	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Nalorphine  Any material, compound, mixture or preparation containing e following narcotic drugs or any salts calculated as the free as base or alkaloid, in limited quantities as set forth below:  (1) Not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with an equal or greater quantity of an isoquinoline alkaloid of opium  (2) not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts	2261 9400 g any anhy-
(c) (d) of th	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Any material, compound, mixture or preparation containing e following narcotic drugs or any salts calculated as the free as base or alkaloid, in limited quantities as set forth below:  (1) Not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with an equal or greater quantity of an isoquinoline alkaloid of opium  (2) not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any	2261 9400 g any nhy- 9803
(c) (d) of th	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Any material, compound, mixture or preparation containing e following narcotic drugs or any salts calculated as the free as base or alkaloid, in limited quantities as set forth below:  (1) Not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with an equal or greater quantity of an isoquinoline alkaloid of opium  (2) not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage	2261 9400 g any nhy- 9803
(c) (d) of th	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Any material, compound, mixture or preparation containing of following narcotic drugs or any salts calculated as the free as a base or alkaloid, in limited quantities as set forth below:  (1) Not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with an equal or greater quantity of an isoquinoline alkaloid of opium  (2) not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with a fourfold or greater quantity of an isoquinoline alkaloid of	9400 g any nhy- 9803 9804
(c) (d) of th	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Any material, compound, mixture or preparation containing e following narcotic drugs or any salts calculated as the free as base or alkaloid, in limited quantities as set forth below:  (1) Not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with an equal or greater quantity of an isoquinoline alkaloid of opium  (2) not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with a fourfold or greater quantity of an isoquinoline alkaloid of opium	2261 9400 g any nhy- 9803
(c) (d) of th	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Any material, compound, mixture or preparation containing of following narcotic drugs or any salts calculated as the free as base or alkaloid, in limited quantities as set forth below:  (1) Not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with an equal or greater quantity of an isoquinoline alkaloid of opium  (2) not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with a fourfold or greater quantity of an isoquinoline alkaloid of opium  (4) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any	9400 g any nhy- 9803 9804
(c) (d) of th	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Any material, compound, mixture or preparation containing e following narcotic drugs or any salts calculated as the free as base or alkaloid, in limited quantities as set forth below:  (1) Not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with an equal or greater quantity of an isoquinoline alkaloid of opium  (2) not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with a fourfold or greater quantity of an isoquinoline alkaloid of opium  (4) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage	9400 g any nhy- 9803 9804
(c) (d) of th	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Any material, compound, mixture or preparation containing e following narcotic drugs or any salts calculated as the free as base or alkaloid, in limited quantities as set forth below:  (1) Not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with an equal or greater quantity of an isoquinoline alkaloid of opium  (2) not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with a fourfold or greater quantity of an isoquinoline alkaloid of opium  (4) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic with one or more active, nonnarcotic ingredients in recognized therapeutic ingredients in recognized th	9400 g any nhy- 9803 9804
(e) (d) of th drous	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Any material, compound, mixture or preparation containing e following narcotic drugs or any salts calculated as the free as base or alkaloid, in limited quantities as set forth below:  (1) Not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with an equal or greater quantity of an isoquinoline alkaloid of opium  (2) not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with a fourfold or greater quantity of an isoquinoline alkaloid of opium  (4) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts	9400 g any nhy- 9803 9804
(e) (d) of th drous	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Any material, compound, mixture or preparation containing e following narcotic drugs or any salts calculated as the free as base or alkaloid, in limited quantities as set forth below:  (1) Not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with an equal or greater quantity of an isoquinoline alkaloid of opium  (2) not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with a fourfold or greater quantity of an isoquinoline alkaloid of opium  (4) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic with one or more active, nonnarcotic ingredients in recognized therapeutic ingredients in recognized th	9400 g any nhy- 9803 9804
(e) (d) of th drous	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Any material, compound, mixture or preparation containing e following narcotic drugs or any salts calculated as the free as base or alkaloid, in limited quantities as set forth below:  (1) Not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with an equal or greater quantity of an isoquinoline alkaloid of opium  (2) not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with a fourfold or greater quantity of an isoquinoline alkaloid of opium  (4) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 1.8 grams of dihydrocodeine or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts	9400 g any nhy- 9803 9804
(e) (d) of th drous	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Any material, compound, mixture or preparation containing of following narcotic drugs or any salts calculated as the free as as base or alkaloid, in limited quantities as set forth below:  (1) Not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with an equal or greater quantity of an isoquinoline alkaloid of opium  (2) not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with a fourfold or greater quantity of an isoquinoline alkaloid of opium  (4) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 1.8 grams of dihydrocodeino or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts	9400 g any nhy- 9803 9804
(e) (d) of th drous	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Any material, compound, mixture or preparation containing e following narcotic drugs or any salts calculated as the free as base or alkaloid, in limited quantities as set forth below:  (1) Not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with an equal or greater quantity of an isoquinoline alkaloid of opium  (2) not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with a fourfold or greater quantity of an isoquinoline alkaloid of opium  (4) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 1.8 grams of dihydrocodeine or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts	9400 g any nhy- 9803 9804 9805
(e) (d) of th drous	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Any material, compound, mixture or preparation containing e following narcotic drugs or any salts calculated as the free as base or alkaloid, in limited quantities as set forth below:  (1) Not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with an equal or greater quantity of an isoquinoline alkaloid of opium  (2) not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 300 milligrams of dihydrocodeimone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with a fourfold or greater quantity of an isoquinoline alkaloid of opium  (4) not more than 300 milligrams of dihydrocodeimone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 1.8 grams of dihydrocodeine or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (4) not more than 1.8 grams of dihydrocodeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (4) not more than 300 milligrams of ethylmorphine or any of its salts per 100 milligrams of ethylmorphine or any of its salts per 100 milligrams of ethylmorphine or any of its salts per 100 milligrams of ethylmorphine or any of its salts per 100 milligrams of ethylmorphine or any of its salts per 100 milligrams of ethylmorphine or any of its salts per 100 milligrams of ethylmorph	9400 g any nhy- 9803 9804 9805
(e) (d) of th drous	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Any material, compound, mixture or preparation containing e following narcotic drugs or any salts calculated as the free as base or alkaloid, in limited quantities as set forth below:  (1) Not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with an equal or greater quantity of an isoquinoline alkaloid of opium  (2) not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with a fourfold or greater quantity of an isoquinoline alkaloid of opium  (4) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 1.8 grams of dihydrocodeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (4) not more than 300 milligrams of ethylmorphine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts	9400 g any nhy- 9803 9804 9805
(e) (d) of th drous (5)	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Any material, compound, mixture or preparation containing of following narcotic drugs or any salts calculated as the free as base or alkaloid, in limited quantities as set forth below:  (1) Not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with an equal or greater quantity of an isoquinoline alkaloid of opium  (2) not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 300 milligrams of dihydrocodeimone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with a fourfold or greater quantity of an isoquinoline alkaloid of opium  (4) not more than 300 milligrams of dihydrocodeimone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 1.8 grams of dihydrocodeine or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (4) not more than 300 milligrams of ethylmorphine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (4) not more than 300 milligrams of ethylmorphine or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts	9400 g any mhy- 9803 9804 9805 9806
(e) (d) of th drous (5)	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Nal	9400 g any mhy- 9803 9804 9805 9806
(e) (d) of th drous (5)	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Nal	9400 g any mhy- 9803 9804 9805 9806 9807
(e) (d) of th drous (5) (6) (7)	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Nalorphine  Nany material, compound, mixture or preparation containing e following narcotic drugs or any salts calculated as the free as base or alkaloid, in limited quantities as set forth below:  (1) Not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with an equal or greater quantity of an isoquinoline alkaloid of opium  (2) not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with a fourfold or greater quantity of an isoquinoline alkaloid of opium  (4) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 1.8 grams of dihydrocodeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (4) not more than 300 milligrams of ethylmorphine or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (5) not more than 500 milligrams of opium per 100 milliliters or per 100 grams or not more than 25 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts	9400 g any mhy- 9803 9804 9805 9806
(e) (d) of th drous (5) (6) (7)	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Any material, compound, mixture or preparation containing e following narcotic drugs or any salts calculated as the free as base or alkaloid, in limited quantities as set forth below:  (1) Not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with an equal or greater quantity of an isoquinoline alkaloid of opium	9400 g any mhy- 9803 9804 9805 9806 9807
(e) (d) of th drous (5) (6) (7)	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Any material, compound, mixture or preparation containing e following narcotic drugs or any salts calculated as the free as base or alkaloid, in limited quantities as set forth below:  (1) Not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with an equal or greater quantity of an isoquinoline alkaloid of opium  (2) not more than 90 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with a fourfold or greater quantity of an isoquinoline alkaloid of opium  (4) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 300 milligrams of dihydrocodeine or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (4) not more than 300 milligrams of ethylmorphine or any of its salts per 100 milliliters or not more than 50 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (5) not more than 500 milligrams of opium per 100 milliliters or per 100 grams or not more than 25 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (6) not more than 50 milligrams of morphine or any of its salts per 100 milliliters or per 100 grams with one or more active, nonnarcotic ingredients in recognized therapeutic amounts	9400 g any mhy- 9803 9804 9805 9806 9809
(e) (d) of the drous (5) (6) (7) (8)	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Any material, compound, mixture or preparation containing of following narcotic drugs or any salts calculated as the free as base or alkaloid, in limited quantities as set forth below:  (1) Not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with an equal or greater quantity of an isoquinoline alkaloid of opium  (2) not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with a fourfold or greater quantity of an isoquinoline alkaloid of opium  (4) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 1.8 grams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (4) not more than 300 milligrams of ethylmorphine or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (5) not more than 500 milligrams of opium per 100 milliliters or per 100 grams or not more than 25 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (6) not more than 50 milligrams of morphine or any of its salts per 100 milliliters or per 100 grams with one or more active, nonnarcotic ingredients i	9400 g any mhy- 9803 9804 9805 9806 9807
(e) (d) of the drous (5) (6) (7) (8)	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Any material, compound, mixture or preparation containing of following narcotic drugs or any salts calculated as the free as base or alkaloid, in limited quantities as set forth below:  (1) Not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with an equal or greater quantity of an isoquinoline alkaloid of opium  (2) not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 300 milligrams of dihydrocodeinome (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with a fourfold or greater quantity of an isoquinoline alkaloid of opium  (4) not more than 300 milligrams of dihydrocodeinome (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 1.8 grams of dihydrocodeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (4) not more than 300 milligrams of ethylmorphine or any of its salts per 100 more active, nonnarcotic ingredients in recognized therapeutic amounts  (5) not more than 500 milligrams of opium per 100 milliliters or per 100 grams or not more than 25 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (6) not more than 50 milligrams of morphine or any of its salts per 100 grams or not more than 50 milligrams of opium per 100 milliliters or per 100 grams with one or more active, nonnarcotic ingredients in recognized therapeutic amounts	9400 g any mhy- 9803 9804 9805 9806 9809
(e) (d) of the drous (5) (6) (7) (8)	Perampanel, its salts, isomers, and salts of isomers  Some other names for perampanel: 2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2 dihydropyridin-3-yl) benzonitrile  Nalorphine  Any material, compound, mixture or preparation containing of following narcotic drugs or any salts calculated as the free as base or alkaloid, in limited quantities as set forth below:  (1) Not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with an equal or greater quantity of an isoquinoline alkaloid of opium  (2) not more than 1.8 grams of codeine or any of its salts per 100 milliliters or not more than 90 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with a fourfold or greater quantity of an isoquinoline alkaloid of opium  (4) not more than 300 milligrams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (3) not more than 1.8 grams of dihydrocodeinone (hydrocodone) or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (4) not more than 300 milligrams of ethylmorphine or any of its salts per 100 milliliters or not more than 15 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (5) not more than 500 milligrams of opium per 100 milliliters or per 100 grams or not more than 25 milligrams per dosage unit with one or more active, nonnarcotic ingredients in recognized therapeutic amounts  (6) not more than 50 milligrams of morphine or any of its salts per 100 milliliters or per 100 grams with one or more active, nonnarcotic ingredients i	9400 g any mhy- 9803 9804 9805 9806 9809

- (e) Unless specifically excepted or unless listed in another schedule, any material, compound, mixture or preparation which contains any quantity of the following substances having a stimulant effect on the central nervous system, including its salts, isomers (whether optical, position or geometric) and salts of such isomers whenever the existence of such salts, isomers and salts of isomers is possible within the specific chemical designation:
  - (1) Those compounds, mixtures or preparations in dosage unit form containing any stimulant substance listed in schedule II, which compounds, mixtures or preparations were listed on August 25, 1971, as excepted compounds under section 308.32 of title 21 of the code of federal regulations, and any other drug of the quantitive composition shown in that list for those drugs or which is the same, except that it contains a lesser quantity of controlled substances

	is the same, except that it contains a lesser quantity of controlled substances	1405
(2)	Benzphetamine	1228
(3)	Chlorphentermine	1645
(4)	Chlortermine	1647
(5)	Phendimetrazine	1615
(f)	Anabolic steroids	4000

"Anabolic steroid" means any drug or hormonal substance, chemically and pharmacologically related to testosterone (other than estrogens, progestins, and corticosteroids) that promotes muscle growth, and includes:

- (1) Boldenone
- (2) chlorotestosterone (4-chlortestosterone)
- (3) clostebol
- (4) dehydrochlormethyltestosterone
- (5) dihydrotestosterone (4-dihydrotestosterone)
- (6) drostanolone
- (7) ethylestrenol
- (8) fluoxymesterone
- (9) formebulone (formebolone)
- (10) mesterolone
- (11) methandienone
- (12) methandranone
- (13) methandriol
- (14) methandrostenolone
- $(15)\ \ methasterone\ (2\alpha,17\alpha\text{-}dimethyl\text{-}5\alpha\text{-}androstan\text{-}17\beta\text{-}ol\text{-}3\text{-}one)$
- (16) methenolone
- (17) methyltestosterone
- (18) mibolerone
- (19) nandrolone
- (20) norethandrolone
- (21) oxandrolone
- (22) oxymesterone
- (23) oxymetholone
- (24) prostanozol (17β-hydroxy-5α-androstano[3,2-c]pyrazole)
- (25) stanolone
- (26) stanozolol
- (27) testolactone
- (28) testosterone
- (29) trenbolone
- (30) any salt, ester, or isomer of a drug or substance described or listed in this paragraph, if that salt, ester, or isomer promotes muscle growth.
- (A) Except as provided in (B), such term does not include an anabolic steroid which is expressly intended for administration through implants to cattle or other nonhuman species and which has been approved by the United States' secretary of health and human services for such administration
- (B) If any person prescribes, dispenses or distributes such steroid for human use, such person shall be considered to have prescribed, dispensed or distributed an anabolic steroid within the meaning of this subsection (f).
- (g) Any material, compound, mixture or preparation which contains any quantity of the following hallucinogenic substance, its salts, isomers and salts of isomers, unless specifically excepted, whenever the existence of these salts, isomers and salts of isomers is possible within the specific chemical designation:

Some other names for dronabinol: (6aR-trans)-6a,7,8,10a-tetrahydro-6-6-9-trimethyl-3-pentyl-6H-dibenzo(b,d)pyran-1-0l, or (-)-delta-9-(trans)-tetrahydrocannabinol.

- (h) The board may except by rule any compound, mixture or preparation containing any stimulant or depressant substance listed in subsection (b) from the application of all or any part of this act if the compound, mixture or preparation contains one or more active medicinal ingredients not having a stimulant or depressant effect on the central nervous system and if the admixtures are included therein in combinations, quantity, proportion or concentration that vitiate the potential for abuse of the substances which have a stimulant or depressant effect on the central nervous system.
- Sec. 4. K.S.A. 2014 Supp. 65-4111 is hereby amended to read as follows: 65-4111. (a) The controlled substances listed in this section are included in schedule IV and the number set forth opposite each drug or substance is the DEA controlled substances code which has been assigned to it.
- (b) Any material, compound, mixture or preparation which contains any quantity of the following substances including its salts, isomers and salts of isomers whenever the existence of such salts, isomers and salts of isomers is possible within the specific chemical designation and having a potential for abuse associated with a depressant effect on the central nervous system:

(1)	Alprazolam	2882
	Barbital	2145
(3)	Bromazepam	2748
	Camazepam	2749
	Carisoprodol	8192
	Chloral betaine	2460
	Chloral hydrate	2465
	Chlordiazepoxide	2744
	Clobazam	2751
	Clonazepam	2737
	Clorazepate	2768
(12)	Clotiazepam	2752
	Cloxazolam	2753
	Delorazepam	2754
	Diazepam	2765
	Dichloralphenazone	2467
(17)	Estazolam	2756
	Ethchlorynol	2540
	Ethinamate	2545
	Ethyl loflazepate	2758
	Fludiazepam	2759
		2763
	Flundragen	2767
	Flurazepam Fospropofol Fosprop	2138
	Halazepam	2762
		2771
	Haloxazolam	2772
	Ketazolam	2773
	Loprazolam	
	Lorazepam	2885
	Lormetazepam	2774
	Mebutamate	2800
	Medazepam	2836
	Meprobamate	2820
	Methohexital	2264
(35)	Methylphenobarbital (mephobarbital)	2250
	Midazolam	2884
	Nimetazepam	2837
	Nitrazepam	2834
	Nordiazepam	2838
	Oxazepam	2835
	Oxazolam	2839
	Paraldehyde	2585
	Petrichloral	2591
	Phenobarbital	2285
	Pinazepam	2883
(46)	Prazepam	2764
(47)	Quazenam	2881

(48) Temazepam	2925
(49) Tetrazepam	2886
(50) Triazolam	2887
(51) Zolpidem	2783
(52) Zaleplon	2781
(53) Zopiclone	2784
(54) 2-[(dimethylamino)methyl]-1-(3-methoxyphenyl)cyclohexanol, its salts,	
optical and geometric isomers and salts of these isomers (including tramadol)	9752
(55) Alfaxalone	2731
(56) Suvorexant	2223

- (c) Any material, compound, mixture, or preparation which contains any quantity of fenfluramine (1670), including its salts, isomers (whether optical, position or geometric) and salts of such isomers, whenever the existence of such salts, isomers and salts of isomers is possible. The provisions of this subsection (c) shall expire on the date fenfluramine and its salts and isomers are removed from schedule IV of the federal controlled substances act (21 U.S.C.  $\S$  812; 21 code of federal regulations 1308.14).
- (d) Any material, compound, mixture or preparation which contains any quantity of loreaserin (1625), including its salts, isomers and salts of such isomers, whenever the existence of such salts, isomers and salts of isomers is possible (21 U.S.C. § 812; 21 code of federal regulations 1308.14).
- (e) Unless specifically excepted or unless listed in another schedule, any material, compound, mixture or preparation which contains any quantity of the following substances having a stimulant effect on the central nervous system, including its salts, isomers (whether optical, position or geometric) and salts of such isomers whenever the existence of such salts, isomers and salts of isomers is possible within the specific chemical designation:

(1)	Cathine ((+)-norpseudoephedrine)	1230
	Diethylpropion	
(3)	Fencamfamin	1760
(4)	Fenproporex	1575
(5)	Mazindol	1605
(6)	Mefenorex	1580
(7)	Pemoline (including organometallic complexes and chelates thereof)	1530
(8)	Phentermine	1640

The provisions of this subsection (e)(8) shall expire on the date phentermine and its salts and isomers are removed from schedule IV of the federal controlled substances act (21 U.S.C.  $\S$  812; 21 code of federal regulations 1308.14).

(9) Pipradrol	1750
(10) SPA((-)-1-dimethylamino-1, 2-diphenylethane)	1635
(11) Sibutramine	1675
(12) Mondafinil	1680

- (f) Unless specifically excepted or unless listed in another schedule, any material, compound, mixture or preparation which contains any quantity of the following, including salts thereof:
  - (1) Pentazocine
     9709

     (2) Butorphanol (including its optical isomers)
     9720
- (g) Unless specifically excepted or unless listed in another schedule, any material, compound, mixture or preparation containing any of the following narcotic drugs, or their salts calculated as the free anhydrous base or alkaloid, in limited quantities as set forth below:

  - (h) Butyl nitrite and its salts, isomers, esters, ethers or their salts.
- (i) The board may except by rule and regulation any compound, mixture or preparation containing any depressant substance listed in subsection (b) from the application of all or any part of this act if the compound, mixture or preparation contains one or more active medicinal ingredients not having a depressant effect on the central nervous system, and if the admixtures are included therein in combinations, quantity, proportion or

concentration that vitiate the potential for abuse of the substances which have a depressant effect on the central nervous system.

Sec. 5. K.S.A. 2014 Supp. 65-4105, 65-4107, 65-4109 and 65-4111 are hereby repealed.

Sec. 6. This act shall take effect and be in force from and after its publication in the Kansas register.

I hereby certify that the above  $\ensuremath{\mathsf{BILL}}$  originated in the House, and passed that body

	Smaller of the House
	Speaker of the House.
	Chief Clerk of the House.
Passed the SENATE	
	President of the Senate.
	Secretary of the Senate.
Approved	
	Governor.